




// HF CUREMASTER IS THE NEW BENCHMARK IN TRUCK TIRE MANUFACTURING.



TireTech Group

hf-tiretechgroup.com



SPACE

- Flexible and compact footprint
- Possibility to replace older, smaller presses
 - > Potential for more presses per existing trench

QUALITY & MAINTAINABILITY

- Even distribution of squeeze force ensures optimum tire uniformity and longest mold life
- Longer life time of the hydraulic components due to maximum hydraulic pressure of only 100 bar
- Easy access to main hydraulic, pneumatic and heating components

MODULARITY

- Press accommodates molds from 62-67"
- Modular design to meet the latest market requirements
- Customized modules offer adjustment to customers specifications and individual needs
- Built according to the latest safety, environmental and manufacturing requirements

TOTAL COST OF OWNERSHIP

- Designed to provide the lowest energy consumption
- Durable construction for longer press-life
- Meets the highest requirements for availability, performance and quality

HF TireTech Group

Schlachthofstrasse 22
21079 Hamburg, Germany
Phone: +49 40 77179-0
E-Mail: cp@hf-group.com
hf-tiretechgroup.com



Service Curing Presses

Phone: +49 40 77179-403
E-Mail: curing.spareparts@hf-group.com



TireTech Group

hf-tiretechgroup.com